

STATE OF MISSISSIPPI

COUNTY OF DESOTO AND TATE

8/15/07 10:15:52
BK 566 PG 362
DESOTO COUNTY, MS
W.E. DAVIS, CH CLERK

2007 2900
Recorded in the Above
Deed Book & Page
08-13-2007 08:39:08 AM
Wayne Crockett
Tate County, MS

WARRANTY DEED

FOR AND IN CONSIDERATION of the sum of \$10.00 and other good and valuable consideration, a part of which is evidenced by a promissory note and secured by a purchase money deed of trust, I, the undersigned do hereby convey and warrant unto CAMPBELL LAND DEVELOPMENT, LLC, 1990 Colfax Avenue, Memphis, Tennessee 37116 Telephone: 901-345-6797, the following described real estate, lying and being situate in Desoto and Tate County, Mississippi, to-wit:

TRACT 10

A 29.48, more or less, acre tract of land being located in the Southeast Quarter of Section 33, Township 3 South, Range 5 West and the Northeast Quarter of Section 4, Township 4 South, Range 5 West of the Chickasaw Meridian, DeSoto County and Tate County, Mississippi. A metes and bounds description of said real estate is attached hereto as Exhibit "A" and made a part of this instrument as though copied at length herein.

TRACT 11

A 34.85, more or less, acre tract of land being located in the Southeast Quarter of Section 33, Township 3 South, Range 5 West, DeSoto County and the Northeast Quarter of Section 4, Township 4 South, Range 5 West of the Chickasaw Meridian, Tate County, Mississippi. A metes and bounds description of said real estate is attached hereto as Exhibit "B" and made a part of this instrument as though copied at length herein.

ALSO:

Seller also grants a non-exclusive ingress and egress easement. A metes and bounds description of said easement is attached hereto as Exhibit "C" and made a part of this instrument as though copied at length herein.

Taxes for the current year will be prorated.

Conveyance is made subject to easement for roads, utilities and drainage of record shown on the plat or in place as well as the laws of the United States, the State of Mississippi and their respective political subdivisions including any regulations or laws of Desoto and Tate County.

WITNESS MY SIGNATURE, this the 31st day of July, 2006.

DESTATE PROPERTIES, LLC

BY:


OLIVER M. BURCH IV, Managing Member

Mr. Burch

STATE OF MISSISSIPPI

COUNTY OF MARSHALL

PERSONALLY APPEARED BEFORE ME, the undersigned authority in and for the said county and state, on this the ^{Jan}31st day of ^{August}July, ²⁰⁰⁷2006, within my jurisdiction, the within named Oliver M. Burch, IV, who acknowledged to me that he is a member of Destate Properties, LLC a member managed limited liability company, and as the act and deed of said limited liability company, he executed the above and foregoing instrument, after first having been authorized by said limited liability company so to do.



* SEAL *

Sandra W. Hendrix
NOTARY PUBLIC

My Commission Expires October 6, 2008

GRANTOR
Post Office Box 807
Holly Springs, MS 38635
662-252-4592

GRANTEE
1990 Colfax Avenue
Memphis, TN 37116
901-345-6797

INDEXING INSTRUCTIONS: Section 33, T3S, R5W and Section 4, T4S, R5W

Prepared by and return to: Lanier Hurdle, Attorney, Post Office Box 279, Holly Springs, MS, 38635, 662-252-4592

2007 2902
Deed Book & Page

LEGAL DESCRIPTION

A 29.48, MORE OR LESS, ACRE TRACT OF LAND BEING LOCATED IN THE SOUTHEAST QUARTER OF SECTION 33, TOWNSHIP 3 SOUTH, RANGE 5 WEST AND THE NORTHEAST QUARTER OF SECTION 4, TOWNSHIP 4 SOUTH, RANGE 5 WEST OF THE CHICKASAW MERIDIAN, DESOTO COUNTY AND TATE COUNTY, MISSISSIPPI AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SECTION 33, TOWNSHIP 3 SOUTH, RANGE 5 WEST OF THE CHICKASAW MERIDIAN; THENCE NORTH 01 DEGREES 36 MINUTES 16 SECONDS WEST, A DISTANCE OF 85.70 FEET TO A PK NAIL (SET), SAID NAIL BEING THE TRUE POINT OF BEGINNING OF THE HEREIN DESCRIBED TRACT; THENCE SOUTH 61 DEGREES 17 MINUTES 14 SECONDS WEST, A DISTANCE OF 31.18 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 11 DEGREES 18 MINUTES 06 SECONDS, A RADIUS OF 467.23 FEET, AN ARC LENGTH OF 92.16 FEET, A CHORD BEARING OF NORTH 88 DEGREES 55 MINUTES 33 SECONDS WEST, AND A CHORD LENGTH OF 92.01 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 19 DEGREES 41 MINUTES 41 SECONDS, A RADIUS OF 224.15 FEET, AN ARC LENGTH OF 77.05 FEET, A CHORD BEARING OF SOUTH 72 DEGREES 48 MINUTES 08 SECONDS WEST, AND A CHORD LENGTH OF 76.67 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 61 DEGREES 28 MINUTES 25 SECONDS, A RADIUS OF 67.91 FEET, AN ARC LENGTH OF 72.86 FEET, A CHORD BEARING OF SOUTH 34 DEGREES 05 MINUTES 06 SECONDS WEST, AND A CHORD LENGTH OF 69.42 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 01 DEGREES 13 MINUTES 24 SECONDS EAST, A DISTANCE OF 49.90 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 36 DEGREES 10 MINUTES 40 SECONDS, A RADIUS OF 230.27 FEET, AN ARC LENGTH OF 145.40 FEET, A CHORD BEARING OF NORTH 08 DEGREES 08 MINUTES 20 SECONDS EAST, AND A CHORD LENGTH OF 143.00 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 17 DEGREES 25 MINUTES 21 SECONDS WEST, A DISTANCE OF 147.00 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 19 DEGREES 56 MINUTES 45 SECONDS, A RADIUS OF 686.07 FEET, AN ARC LENGTH OF 238.83 FEET, A CHORD BEARING OF NORTH 38 DEGREES 12 MINUTES 46 SECONDS EAST, AND A CHORD LENGTH OF 237.63 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: SOUTH A DELTA ANGLE OF 4 DEGREES 34 MINUTES 45 SECONDS, A RADIUS OF 2647.76 FEET, AN ARC LENGTH OF 211.61 FEET, A CHORD BEARING OF SOUTH 36 DEGREES 47 MINUTES 36 SECONDS WEST, AND A CHORD LENGTH OF 211.56 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 34 DEGREES 48 MINUTES 25 SECONDS WEST, A DISTANCE OF 419.53 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 31 DEGREES 01 MINUTES 17 SECONDS WEST, A DISTANCE OF 189.04 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 32 DEGREES 50 MINUTES 30 SECONDS WEST, A DISTANCE OF 131.41 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 33 DEGREES 11 MINUTES 48 SECONDS, A RADIUS OF 196.08 FEET, AN ARC LENGTH OF 113.60 FEET, A CHORD BEARING OF SOUTH 21 DEGREES 24 MINUTES 14 SECONDS WEST, AND A CHORD LENGTH OF 112.02 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 17 DEGREES 20 MINUTES 38 SECONDS, A RADIUS OF 225.92 FEET, AN ARC LENGTH OF 68.39 FEET, A CHORD BEARING OF SOUTH 18 DEGREES 34 MINUTES 27 SECONDS EAST, AND A CHORD LENGTH OF 68.13 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 08 DEGREES 41 MINUTES 10 SECONDS EAST, A DISTANCE OF 300.79 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 18 DEGREES 14 MINUTES 52 SECONDS EAST, A DISTANCE OF 93.23 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE

EXHIBIT "A"

2007 2903
Deed Book & Page

RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 42 DEGREES 36 MINUTES 48 SECONDS, A RADIUS OF 224.56 FEET, AN ARC LENGTH OF 167.02 FEET, A CHORD BEARING OF SOUTH 07 DEGREES 26 MINUTES 39 SECONDS WEST, AND A CHORD LENGTH OF 163.19 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 25 DEGREES 20 MINUTES 36 SECONDS, A RADIUS OF 198.31 FEET, AN ARC LENGTH OF 87.72 FEET, A CHORD BEARING OF SOUTH 62 DEGREES 52 MINUTES 41 SECONDS WEST, AND A CHORD LENGTH OF 87.00 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 61 DEGREES 30 MINUTES 17 SECONDS WEST, A DISTANCE OF 99.58 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 01 DEGREES 14 MINUTES 59 SECONDS WEST, A DISTANCE OF 122.20 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 11 DEGREES 37 MINUTES 21 SECONDS WEST, A DISTANCE OF 336.19 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 12 DEGREES 48 MINUTES 49 SECONDS WEST, A DISTANCE OF 105.74 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 16 DEGREES 33 MINUTES 16 SECONDS WEST, A DISTANCE OF 159.72 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 03 DEGREES 31 MINUTES 46 SECONDS WEST, A DISTANCE OF 169.97 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 10 DEGREES 41 MINUTES 13 SECONDS WEST, A DISTANCE OF 263.93 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 17 DEGREES 19 MINUTES 43 SECONDS WEST, A DISTANCE OF 64.82 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 28 DEGREES 27 MINUTES 03 SECONDS WEST, A DISTANCE OF 138.84 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 22 DEGREES 47 MINUTES 26 SECONDS WEST, A DISTANCE OF 223.86 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 21 DEGREES 34 MINUTES 23 SECONDS WEST, A DISTANCE OF 321.25 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 13 DEGREES 26 MINUTES 27 SECONDS WEST, A DISTANCE OF 174.40 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 89 DEGREES 05 MINUTES 55 SECONDS EAST, A DISTANCE OF 1,355.57 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 60 DEGREES 52 MINUTES 03 SECONDS, A RADIUS OF 117.91 FEET, AN ARC LENGTH OF 125.26 FEET, A CHORD BEARING OF NORTH 33 DEGREES 57 MINUTES 27 SECONDS EAST, AND A CHORD LENGTH OF 119.45 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 19 DEGREES 47 MINUTES 55 SECONDS, A RADIUS OF 274.15 FEET, AN ARC LENGTH OF 94.73 FEET, A CHORD BEARING OF NORTH 73 DEGREES 00 MINUTES 35 SECONDS EAST, AND A CHORD LENGTH OF 94.26 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 9 DEGREES 37 MINUTES 20 SECONDS, A RADIUS OF 517.23 FEET, AN ARC LENGTH OF 86.86 FEET, A CHORD BEARING OF SOUTH 89 DEGREES 53 MINUTES 46 SECONDS EAST, AND A CHORD LENGTH OF 86.76 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 61 DEGREES 17 MINUTES 14 SECONDS EAST, A DISTANCE OF 41.25 FEET TO A PK NAIL (SET) IN WATSON DESOTO ROAD (ALSO KNOWN AS MARSHALL COUNTY LINE ROAD) (NO RECORDED RIGHT OF WAY FOUND); THENCE SOUTH 01 DEGREES 36 MINUTES 16 SECONDS EAST, A DISTANCE OF 56.17 FEET TO THE POINT OF BEGINNING. CONTAINING 29.48, MORE OR LESS, ACRES AND BEING SUBJECT TO ALL CODES, COVENANTS, EASEMENTS, REVISIONS, RESTRICTIONS, REGULATIONS, AND RIGHTS OF WAY OF RECORD.

2007 2904
Deed Book & Page

LEGAL DESCRIPTION

A 34.85, MORE OR LESS, ACRE TRACT OF LAND BEING LOCATED IN THE SOUTHEAST QUARTER OF SECTION 33, TOWNSHIP 3 SOUTH, RANGE 5 WEST AND THE NORTHEAST QUARTER OF SECTION 4, TOWNSHIP 4 SOUTH, RANGE 5 WEST OF THE CHICKASAW MERIDIAN, DESOTO COUNTY AND TATE COUNTY, MISSISSIPPI AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHEAST CORNER OF SECTION 33, TOWNSHIP 3 SOUTH, RANGE 5 WEST OF THE CHICKASAW MERIDIAN; THENCE SOUTH 00 DEGREES 34 MINUTES 56 SECONDS EAST, A DISTANCE OF 2,278.51 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 89 DEGREES 25 MINUTES 04 SECONDS WEST, A DISTANCE OF 63.16 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 09 DEGREES 00 MINUTES 50 SECONDS WEST, A DISTANCE OF 120.24 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 48 DEGREES 56 MINUTES 22 SECONDS WEST, A DISTANCE OF 78.44 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 60 DEGREES 23 MINUTES 11 SECONDS WEST, A DISTANCE OF 147.04 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 63 DEGREES 14 MINUTES 14 SECONDS WEST, A DISTANCE OF 178.19 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 62 DEGREES 40 MINUTES 41 SECONDS WEST, A DISTANCE OF 65.77 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 46 DEGREES 17 MINUTES 47 SECONDS WEST, A DISTANCE OF 104.59 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 51 DEGREES 58 MINUTES 42 SECONDS WEST, A DISTANCE OF 196.57 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 78 DEGREES 00 MINUTES 02 SECONDS WEST, A DISTANCE OF 208.92 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 61 DEGREES 30 MINUTES 17 SECONDS WEST, A DISTANCE OF 141.00 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 25 DEGREES 20 MINUTES 36 SECONDS, A RADIUS OF 198.31 FEET, AN ARC LENGTH OF 87.72 FEET, A CHORD BEARING OF NORTH 62 DEGREES 52 MINUTES 41 SECONDS EAST, AND A CHORD LENGTH OF 87.00 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 42 DEGREES 36 MINUTES 48 SECONDS, A RADIUS OF 224.56 FEET, AN ARC LENGTH OF 167.02 FEET, A CHORD BEARING OF NORTH 07 DEGREES 28 MINUTES 39 SECONDS EAST, AND A CHORD LENGTH OF 163.19 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 18 DEGREES 14 MINUTES 52 SECONDS WEST, A DISTANCE OF 93.23 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 08 DEGREES 41 MINUTES 10 SECONDS WEST, A DISTANCE OF 300.79 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 17 DEGREES 20 MINUTES 38 SECONDS, A RADIUS OF 225.92 FEET, AN ARC LENGTH OF 68.39 FEET, A CHORD BEARING OF NORTH 18 DEGREES 34 MINUTES 27 SECONDS WEST, AND A CHORD LENGTH OF 68.13 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 33 DEGREES 11 MINUTES 48 SECONDS, A RADIUS OF 196.08 FEET, AN ARC LENGTH OF 113.60 FEET, A CHORD BEARING OF NORTH 21 DEGREES 24 MINUTES 14 SECONDS EAST, AND A CHORD LENGTH OF 112.02 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 32 DEGREES 50 MINUTES 30 SECONDS EAST, A DISTANCE OF 131.41 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 31 DEGREES 01 MINUTES 17 SECONDS EAST, A DISTANCE OF 189.04 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 34 DEGREES 48 MINUTES 25 SECONDS EAST, A DISTANCE OF 419.53 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 4 DEGREES 34 MINUTES 45 SECONDS, A RADIUS OF 2647.76 FEET, AN ARC LENGTH OF 211.61 FEET, A CHORD BEARING OF NORTH 36 DEGREES 47 MINUTES 36 SECONDS EAST, AND A CHORD LENGTH OF 211.56 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 19 DEGREES 56 MINUTES 45 SECONDS, A RADIUS OF 686.07 FEET, AN ARC LENGTH OF 238.83 FEET, A CHORD BEARING OF NORTH 38 DEGREES 12 MINUTES 46 SECONDS EAST, AND A CHORD LENGTH OF 237.63 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 17 DEGREES 25 MINUTES 21 SECONDS EAST, A DISTANCE OF 147.00 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 36 DEGREES 10 MINUTES 40 SECONDS, A RADIUS OF 230.27 FEET, AN ARC LENGTH OF 145.40 FEET, A CHORD BEARING OF NORTH 08 DEGREES 08 MINUTES 20 SECONDS EAST, AND A CHORD LENGTH OF 143.00 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 01 DEGREES 13 MINUTES 24 SECONDS WEST, A DISTANCE OF 49.90 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 61 DEGREES 28 MINUTES 25 SECONDS, A RADIUS OF 67.91 FEET, AN ARC LENGTH OF 72.86 FEET, A CHORD BEARING OF NORTH 34 DEGREES 05 MINUTES 06 SECONDS EAST, AND A CHORD LENGTH OF 69.42 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 19 DEGREES 41 MINUTES 41 SECONDS, A RADIUS OF 224.15 FEET, AN ARC LENGTH OF 77.05 FEET, A CHORD BEARING OF NORTH 72 DEGREES 48 MINUTES 08 SECONDS EAST, AND A CHORD LENGTH OF 76.67 FEET TO A 1/2" METAL PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 11 DEGREES 18 MINUTES 06 SECONDS, A RADIUS OF 467.23 FEET, AN ARC LENGTH OF 92.16 FEET, A CHORD BEARING OF SOUTH 88 DEGREES 55 MINUTES 33 SECONDS EAST, AND A CHORD LENGTH OF 92.01 FEET TO A 1/2" METAL PIPE (SET); THENCE NORTH 61 DEGREES 17 MINUTES 14 SECONDS EAST, A DISTANCE OF 31.18 FEET TO A 1/2" METAL PIPE (SET); THENCE SOUTH 01 DEGREES 36 MINUTES 16 SECONDS EAST, A DISTANCE OF 85.70 FEET TO THE POINT OF BEGINNING, CONTAINING 34.85, MORE OR LESS, ACRES AND BEING SUBJECT TO ALL CODES, COVENANTS, EASEMENTS, REVISIONS, RESTRICTIONS, REGULATIONS, AND RIGHTS OF WAY OF RECORD.

EXHIBIT "B"

2007 2905
Deed Book & Page

LEGAL DESCRIPTION

A 50 FOOT WIDE INGRESS/EGRESS EASEMENT BEING LOCATED IN THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 33, TOWNSHIP 3 SOUTH, RANGE 5 WEST AND THE EAST HALF OF THE NORTHEAST QUARTER OF SECTION 4, TOWNSHIP 4 SOUTH, RANGE 5 WEST OF THE CHICKASAW MERIDIAN, DESOTO AND TATE COUNTIES, MISSISSIPPI AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SECTION 33, TOWNSHIP 3 SOUTH, RANGE 5 WEST OF THE CHICKASAW MERIDIAN AND THE NORTHEAST CORNER OF SECTION 4, TOWNSHIP 4 SOUTH, RANGE 5 WEST OF THE CHICKASAW MERIDIAN; THENCE SOUTH 01 DEGREES 36 MINUTES 16 SECONDS EAST, A DISTANCE OF 85.70 FEET TO A 1/2" IRON PIPE (SET), SAID IRON PIPE BEING THE TRUE POINT OF BEGINNING OF THE HEREIN DESCRIBED EASEMENT; THENCE SOUTH 61 DEGREES 17 MINUTES 14 SECONDS WEST, A DISTANCE OF 31.18 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 11 DEGREES 18 MINUTES 06 SECONDS, A RADIUS OF 467.23 FEET, AN ARC LENGTH OF 92.16 FEET, A CHORD BEARING OF NORTH 88 DEGREES 55 MINUTES 33 SECONDS WEST, AND A CHORD LENGTH OF 92.01 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 19 DEGREES 41 MINUTES 41 SECONDS, A RADIUS OF 224.15 FEET, AN ARC LENGTH OF 77.05 FEET, A CHORD BEARING OF SOUTH 72 DEGREES 48 MINUTES 08 SECONDS WEST, AND A CHORD LENGTH OF 76.67 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 61 DEGREES 28 MINUTES 25 SECONDS, A RADIUS OF 67.91 FEET, AN ARC LENGTH OF 72.86 FEET, A CHORD BEARING OF SOUTH 34 DEGREES 05 MINUTES 06 SECONDS WEST, AND A CHORD LENGTH OF 69.42 FEET TO A 1/2" IRON PIPE (SET); THENCE SOUTH 01 DEGREES 13 MINUTES 24 SECONDS EAST, A DISTANCE OF 49.90 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 36 DEGREES 10 MINUTES 40 SECONDS, A RADIUS OF 230.27 FEET, AN ARC LENGTH OF 145.40 FEET, A CHORD BEARING OF SOUTH 08 DEGREES 08 MINUTES 20 SECONDS WEST, AND A CHORD LENGTH OF 143.00 FEET TO A 1/2" IRON PIPE (SET); THENCE SOUTH 17 DEGREES 25 MINUTES 21 SECONDS WEST, A DISTANCE OF 147.00 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 19 DEGREES 56 MINUTES 45 SECONDS, A RADIUS OF 686.07 FEET, AN ARC LENGTH OF 238.83 FEET, A CHORD BEARING OF SOUTH 38 DEGREES 12 MINUTES 46 SECONDS WEST, AND A CHORD LENGTH OF 237.63 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 4 DEGREES 34 MINUTES 45 SECONDS, A RADIUS OF 2647.76 FEET, AN ARC LENGTH OF 211.61 FEET, A CHORD BEARING OF SOUTH 36 DEGREES 47 MINUTES 36 SECONDS WEST, AND A CHORD LENGTH OF 211.56 FEET TO A 1/2" IRON PIPE (SET); THENCE SOUTH 34 DEGREES 48 MINUTES 25 SECONDS WEST, A DISTANCE OF 419.53 FEET TO A 1/2" IRON PIPE (SET); THENCE SOUTH 31 DEGREES 01 MINUTES 17 SECONDS WEST, A DISTANCE OF 189.04 FEET TO A 1/2" IRON PIPE (SET); THENCE SOUTH 32 DEGREES 50 MINUTES 30 SECONDS WEST, A DISTANCE OF 131.41 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 33 DEGREES 11 MINUTES 48 SECONDS, A RADIUS OF 196.08 FEET, AN ARC LENGTH OF 113.60 FEET, A CHORD BEARING OF SOUTH 21 DEGREES 24 MINUTES 14 SECONDS WEST, AND A CHORD LENGTH OF 112.02 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 17 DEGREES 20 MINUTES 38 SECONDS, A RADIUS OF 225.92 FEET, AN ARC LENGTH OF 68.39 FEET, A CHORD BEARING OF SOUTH 18 DEGREES 34 MINUTES 27 SECONDS EAST, AND A CHORD LENGTH OF 68.13 FEET TO A 1/2" IRON PIPE (SET); THENCE SOUTH 08 DEGREES 41 MINUTES 10 SECONDS EAST, A DISTANCE OF 300.79 FEET TO A 1/2" IRON PIPE (SET); THENCE SOUTH 18 DEGREES 14 MINUTES 52 SECONDS EAST, A DISTANCE OF 93.23 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 42 DEGREES 36 MINUTES 48 SECONDS, A RADIUS OF 224.56 FEET, AN ARC LENGTH OF 167.02 FEET, A CHORD BEARING OF SOUTH 07 DEGREES 26 MINUTES 39 SECONDS WEST, AND A CHORD LENGTH OF 163.19 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 25 DEGREES 20 MINUTES 36 SECONDS, A RADIUS OF 198.31 FEET, AN ARC LENGTH OF 87.72 FEET, A CHORD BEARING OF SOUTH 62 DEGREES 52 MINUTES 41 SECONDS WEST, AND A CHORD LENGTH OF 87.00 FEET TO A 1/2" IRON PIPE (SET); THENCE NORTH 61 DEGREES 30 MINUTES 17 SECONDS WEST, A DISTANCE OF 82.49 FEET TO A 1/2" IRON PIPE (SET); THENCE NORTH 82 DEGREES 24 MINUTES 51 SECONDS EAST, A DISTANCE OF 42.96 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING

EXHIBIT "C"

2007 2906
Deed Book & Page

ATTRIBUTES: A DELTA ANGLE OF 28 DEGREES 33 MINUTES 39 SECONDS, A RADIUS OF 148.31 FEET, AN ARC LENGTH OF 73.93 FEET, A CHORD BEARING OF NORTH 68 DEGREES 08 MINUTES 02 SECONDS EAST, AND A CHORD LENGTH OF 73.17 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE LEFT HAVING THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 38 DEGREES 51 MINUTES 56 SECONDS, A RADIUS OF 174.56 FEET, AN ARC LENGTH OF 118.41 FEET, A CHORD BEARING OF NORTH 06 DEGREES 09 MINUTES 33 SECONDS EAST, AND A CHORD LENGTH OF 116.16 FEET TO A 1/2" IRON PIPE (SET); THENCE NORTH 18 DEGREES 14 MINUTES 52 SECONDS WEST, A DISTANCE OF 95.38 FEET TO A 1/2" IRON PIPE (SET); THENCE NORTH 08 DEGREES 41 MINUTES 10 SECONDS WEST, A DISTANCE OF 297.22 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 16 DEGREES 53 MINUTES 37 SECONDS, A RADIUS OF 275.92 FEET, AN ARC LENGTH OF 81.35 FEET, A CHORD BEARING OF NORTH 17 DEGREES 01 MINUTES 13 SECONDS WEST, AND A CHORD LENGTH OF 81.06 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 34 DEGREES 09 MINUTES 10 SECONDS, A RADIUS OF 246.08 FEET, AN ARC LENGTH OF 146.68 FEET, A CHORD BEARING OF NORTH 20 DEGREES 22 MINUTES 17 SECONDS EAST, AND A CHORD LENGTH OF 144.52 FEET TO A 1/2" IRON PIPE (SET); THENCE NORTH 32 DEGREES 50 MINUTES 30 SECONDS EAST, A DISTANCE OF 128.49 FEET TO A 1/2" IRON PIPE (SET); THENCE NORTH 31 DEGREES 01 MINUTES 17 SECONDS EAST, A DISTANCE OF 189.89 FEET TO A 1/2" IRON PIPE (SET); THENCE NORTH 34 DEGREES 48 MINUTES 25 SECONDS EAST, A DISTANCE OF 421.05 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 4 DEGREES 39 MINUTES 46 SECONDS, A RADIUS OF 2697.76 FEET, AN ARC LENGTH OF 219.55 FEET, A CHORD BEARING OF N36 DEGREES 50 MINUTES 17 SECONDS EAST, AND A CHORD LENGTH OF 219.49 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 19 DEGREES 52 MINUTES 39 SECONDS, A RADIUS OF 636.07 FEET, AN ARC LENGTH OF 220.87 FEET, A CHORD BEARING OF NORTH 38 DEGREES 35 MINUTES 49 SECONDS EAST, AND A CHORD LENGTH OF 219.56 FEET TO A 1/2" IRON PIPE (SET); THENCE NORTH 17 DEGREES 25 MINUTES 21 SECONDS EAST, A DISTANCE OF 146.26 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE LEFT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 38 DEGREES 27 MINUTES 58 SECONDS, A RADIUS OF 180.27 FEET, AN ARC LENGTH OF 121.03 FEET, A CHORD BEARING OF NORTH 08 DEGREES 08 MINUTES 38 SECONDS EAST, AND A CHORD LENGTH OF 118.77 FEET TO A 1/2" IRON PIPE (SET); THENCE NORTH 01 DEGREES 13 MINUTES 24 SECONDS WEST, A DISTANCE OF 55.67 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 62 DEGREES 08 MINUTES 44 SECONDS, A RADIUS OF 117.91 FEET, AN ARC LENGTH OF 127.89 FEET, A CHORD BEARING OF NORTH 33 DEGREES 19 MINUTES 07 SECONDS EAST, AND A CHORD LENGTH OF 121.71 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 19 DEGREES 47 MINUTES 55 SECONDS, A RADIUS OF 274.15 FEET, AN ARC LENGTH OF 94.73 FEET, A CHORD BEARING OF NORTH 73 DEGREES 00 MINUTES 35 SECONDS EAST, AND A CHORD LENGTH OF 94.28 FEET TO A 1/2" IRON PIPE (SET); THENCE A CURVE TO THE RIGHT WITH THE FOLLOWING ATTRIBUTES: A DELTA ANGLE OF 9 DEGREES 37 MINUTES 20 SECONDS, A RADIUS OF 517.23 FEET, AN ARC LENGTH OF 86.86 FEET, A CHORD BEARING OF SOUTH 89 DEGREES 53 MINUTES 46 SECONDS EAST, AND A CHORD LENGTH OF 86.76 FEET TO A 1/2" IRON PIPE (SET); THENCE NORTH 61 DEGREES 17 MINUTES 14 SECONDS EAST, A DISTANCE OF 41.25 FEET TO A 1/2" IRON PIPE (SET); THENCE SOUTH 01 DEGREES 36 MINUTES 16 SECONDS EAST, A DISTANCE OF 56.17 FEET TO THE POINT OF BEGINNING. CONTAINING 3.07 ACRES, MORE OR LESS AND BEING SUBJECT TO ALL CODES, COVENANTS, EASEMENTS, REVISIONS, RESTRICTIONS, REGULATIONS, AND RIGHTS OF WAY OF RECORD.

EXHIBIT "C"



Tate County, MS
I certify this instrument was filed on
08-13-2007 08:39:08 AM
and recorded in Deed Book
2007 at pages 2900 - 2906
Wayne Crockett